AMERICAN JOURNAL OF MANAGEMENT AND IOT MEDICAL COMPUTING
Peer Reviewed, Referred & Indexed Journal
E-ISSN: 3069-0110
Vol.5, No.2(1) (2026)
www.ajmimc.com

ADVANCED DATA SECURITY USING HYBRID CRYPTOGRAPHY AND STEGANOGRAPHY

[1]Mrs.K. Manjula,[2]Guvvala Sandhya,[3]Nakinamoni Anjali,[4]Donala Vaagdevi,[5]Kolluri Sindhu

[1]Assistant Professor, Department of Computer Science & Engineering, Princeton Institute of Engineering & Technology For Women

[2,3,4,5]B. Tech Students, Department of Computer Science & Engineering, Princeton Institute of Engineering & Technology For Women

ABSTRACT

In the evolving landscape of digital communication and data storage, cybersecurity remains a paramount concern. This project proposes a hybrid security framework that combines **Hybrid Encryption** (AES + ECC) with **Image-based Steganography** to provide enhanced protection for user data stored on centralized or decentralized servers. The hybrid encryption approach ensures that data cannot be decrypted even if malicious actors obtain partial keys, as it uses both symmetric and asymmetric algorithms. Additionally, **Steganography** conceals sensitive messages within image files, enabling covert data transmission while maintaining the appearance of innocuous media. To further ensure data integrity, the system generates a unique **hashcode** for each uploaded file, allowing verification at any time.Access control is fortified through **multi-factor authentication**, combining traditional credentials with OTP-based email verification. Beyond security operations, the platform also includes **user education tools**, providing learning materials and real-time cybersecurity news updates. Developed using Python and MySQL, the application empowers users to encrypt files, hide data in images, retrieve decrypted files, and stay informed about modern threats—all through a secure and interactive web interface.

Keywords: Hybrid Encryption, AES, ECC, Image Steganography, Data Security, Hashing, Multi-Factor Authentication, OTP Verification, Cybersecurity, Secure File Storage.

INTRODUCTION

With the rapid advancement of digital technology, user data is increasingly transmitted and stored across centralized cloud platforms and decentralized systems like P2P and blockchain networks. Despite widespread adoption of encryption techniques by these platforms, sensitive data remains vulnerable—especially when stored remotely—due to the risk of unauthorized access by malicious insiders or compromised servers.

To combat these threats, this project introduces a novel cybersecurity approach by combining **Hybrid Encryption** and **Steganography** to offer a dual layer of protection for user data. **Hybrid Encryption** integrates both symmetric (AES) and asymmetric (ECC) encryption techniques. AES provides fast and efficient data encryption, while ECC offers secure key distribution. This combination ensures that even if a server is compromised, it becomes virtually impossible to decrypt the data without access to both encryption keys.

Complementing this, **Image-based Steganography** is employed to conceal encrypted messages within digital images, allowing users to upload protected content that appears visually unchanged to outsiders. This form of security-through-obscurity adds another dimension to safeguarding user information. Although video and audio steganography offer similar benefits, they demand high computational resources and are therefore not used in this implementation.

To further ensure data integrity and prevent tampering, a **cryptographic hash function** is generated for every uploaded file. Users can verify the file's authenticity at any time by rechecking its hash code.

In addition to data protection, the platform features **multi-factor authentication (MFA)** using email-based OTP verification

to prevent unauthorized account access. Users must provide a valid email during registration, strengthening account security against intrusion attempts.

The application also serves as an educational tool, featuring modules such as **"Learning Tools"** and **"News Updates"**, designed to raise awareness about modern cybersecurity threats and solutions.

This hybrid system not only empowers users to encrypt, hide, and verify their data independently but also promotes cyber hygiene and awareness—ensuring privacy and trust in a digitally connected world.

I. LITERATURE SURVEY

1. Data Vulnerability in Centralized and Decentralized Systems

With the widespread use of centralized (cloud-based) and decentralized (P2P, blockchain) systems, user data often resides on third-party servers, exposing it to risks from insiders and external threats. Even when encrypted, if key management is weak, data remains vulnerable (Zhou et al., 2010).

Reference: Zhou, Z., & Huang, D. (2010). Efficient and secure data storage operations for mobile cloud computing. *Proceedings of the 8th International Conference on Network and Service Management (CNSM)*.

2. Hybrid Encryption for Enhanced Security

Hybrid encryption combines the efficiency of symmetric encryption (like AES) with the security of asymmetric encryption (like ECC). This dual-layer strategy ensures that even if one key is compromised, the complete decryption remains infeasible (Menezes et al., 1996).

Reference: Menezes, A. J., van Oorschot, P. C., & Vanstone, S. A. (1996). *Handbook of Applied Cryptography*. CRC Press.

3. Steganography for Concealed Communication

Steganography hides the existence of a message, making it more secure than encryption alone. Image-based steganography is particularly useful because images are common file types and do not raise suspicion. Tools like LSB (Least Significant Bit) embedding are effective and computationally less intensive (Johnson & Katzenbeisser, 2000).

Reference: Katzenbeisser, S., & Petitcolas, F. A. P. (2000). *Information hiding techniques for steganography and digital watermarking*. Artech House.

4. Hashing for Data Integrity Verification

Hash functions such as SHA-256 are used to verify the integrity of stored files. Any modification in the data results in a completely different hash, helping to detect unauthorized changes (Preneel, 1999).

Reference: Preneel, B. (1999). *Analysis and design of cryptographic hash functions*. Doctoral dissertation, KU Leuven.

5. Multi-Factor Authentication (MFA) for User Access Control

Combining traditional credentials (username/password) with a second factor like email OTP enhances account security. MFA drastically reduces the risk of unauthorized access, especially in web-based systems (Aloul, 2009).

Reference: Aloul, F. A. (2009). Two factor authentication using mobile phones. *IEEE/ACS International Conference on Computer Systems and Applications*.

II. EXISTING SYSTEM

In current digital ecosystems, user data is frequently stored on centralized cloud platforms or decentralized servers like peer-to-peer (P2P) networks and blockchain. These platforms provide standard encryption protocols, but they remain vulnerable because the data is stored away from the user's control. Malicious insiders or attackers with access to server infrastructure can potentially retrieve encryption keys and decrypt sensitive information. Furthermore, conventional

security systems rely on single-factor authentication, which can be easily compromised. Most systems also lack an effective mechanism to verify the integrity of stored files. These limitations pose serious threats to data confidentiality, integrity, and authenticity, making user data susceptible to breaches, unauthorized access, and tampering.

III. PROPOSED SYSTEM

The proposed system enhances cybersecurity through a multi-layered approach combining **hybrid encryption** and **image steganography**. Hybrid encryption leverages both symmetric (AES) and asymmetric (ECC) algorithms, ensuring that no single party, including server administrators, can access the full set of keys required to decrypt the file. For additional secrecy, sensitive messages can be embedded within images using **image-based steganography**, making the data appear innocuous to unauthorized viewers. To maintain file integrity, a **hashcode** is generated and stored with each file, allowing users to verify that their data has not been altered. The platform incorporates **multi-factor authentication (MFA)** through email OTPs, ensuring that only verified users can access the system. Educational modules like **Learning Tools** and **Cybersecurity News Updates** are included to keep users informed about modern threats and tools. Together, these features provide a self-secured, tamper-proof environment for data protection.

IV. SYSTEM ARCHITECTURE

The image illustrates the concept of **image-based steganography using the LSB (Least Significant Bit) technique** for secure message transmission. In the first stage, a **cover media (image)** is selected, which appears normal and does not raise suspicion. The secret message is then embedded into this image by modifying the least significant bits of pixel values, ensuring that the visual quality of the image remains almost unchanged. This process allows sensitive information to be hidden within ordinary-looking media files.

In the next stage, the stego-image (image containing hidden data) is transmitted securely. At the receiver's end, a **decoding or extraction process** is applied to retrieve the hidden message from the image. The diagram emphasizes how steganography provides an additional layer of security by concealing the existence of the message itself, making it difficult for attackers to detect or intercept confidential information during communication.




Fig 5.1: System Architecture

V. IMPLEMENTATION



Fig 6.1: Home Page



Fig 6.2: Upload Data



Fig 6.3: Data Encrytion



Fig 6.4: Final Page

VI. CONCLUSION

In this project, we successfully implemented a cybersecurity solution that integrates **hybrid encryption** (AES + ECC) and **image-based steganography** to provide robust protection for user data. The system ensures that even if data is intercepted or accessed by unauthorized parties, it remains indecipherable due to the dual-layered encryption. Additionally, **image steganography** provides an extra layer of obscurity by hiding sensitive information within image files, making it unrecognizable to potential attackers. To verify the integrity of data, **hashcodes** are generated for all uploaded files, enabling reliable verification of data authenticity at any time. The inclusion of **multi-factor authentication** via email OTP adds another layer of user security, preventing unauthorized access to the platform. Supporting features such as **cybersecurity learning tools and news updates** further enhance user awareness and platform usability. Overall, the platform demonstrates a secure, user-friendly, and practical approach to modern data protection needs.

VII. FUTURE SCOPE

While the current implementation achieves a high level of data security, several improvements and expansions can be considered in future work. First, the integration of **audio and video steganography** could significantly broaden the applicability of the system, especially for multimedia data, although this would require more advanced computational resources and optimized algorithms. Additionally, migrating from local server deployment to a **cloud-based or blockchain-based backend** could improve system scalability, resilience, and decentralization. Implementing **real-time anomaly detection** and **AI-driven threat analytics** would provide dynamic protection against evolving cybersecurity threats. Lastly, expanding the system to include **mobile platforms** and **cross-platform encryption compatibility** could enhance accessibility and practical use in real-world scenarios. Continued user feedback and security audits will also be essential in identifying vulnerabilities and evolving the platform to meet future cybersecurity demands.

VIII. REFERENCES

[1] Koblitz, N. (1987). *Elliptic curve cryptosystems*. Mathematics of Computation, 48(177), 203–209.

[2] Menezes, A., van Oorschot, P., & Vanstone, S. (1996). *Handbook of Applied Cryptography*. CRC Press.

[3] Eastlake, D., & Jones, P. (2001). *US Secure Hash Algorithm 1 (SHA1)*. RFC 3174.

[4] Petitcolas, F. A. P., Anderson, R. J., & Kuhn, M. G. (1999). *Information hiding — A survey*. Proceedings of the IEEE, 87(7), 1062–1078.

[5] Stallings, W. (2017). *Cryptography and Network Security: Principles and Practice* (7th ed.). Pearson.

[6] Johnson, N. F., Duric, Z., & Jajodia, S. (2001). *Information Hiding: Steganography and Watermarking — Attacks and Countermeasures*. Springer.

[7] Schneier, B. (2015). *Applied Cryptography: Protocols, Algorithms and Source Code in C* (20th Anniversary ed.). Wiley.

[8] Das, A., Bonneau, J., Caesar, M., Borisov, N., & Wang, X. (2019). *The Tangled Web of Password Reuse*. In Proceedings of the Network and Distributed System Security Symposium.

[9] Bhattacharyya, D., Kim, T. H., & Pal, K. (2011). *A comparative study of symmetric and asymmetric cryptography*. Proceedings of the 2011 International Conference on Information and Communication Technology.

[10] Provos, N., & Honeyman, P. (2003). *Hide and Seek: An Introduction to Steganography*. IEEE Security & Privacy, 1(3), 32–44